



PRESSURE REGULATING VALVE

Valve Code: MV 794HF6K-350-1/4R-P







Ordering Ref: MV 794HF6K-350-1/4R-P

Specification

Port Connection Size	Input: 1/4" - 18NPT F Output: 1/4" - 18NPT F Return:1/8"-27NPT F	<u>Descriptions</u>
Net Weight	1.52 kg	MV794HF6K-350-1/4R-P is a 2- Position, Normally Open without Self-
Working Media	Oil	Relieving Pressure regulator. A pressure regulator is a valve that used
Working Pressure	Max Inlet Pressure: Services up to 10,000psi (689.4bar), Optimum 6,000PSI (413.7 bar) Output Pressure Range: 0~350 PSI (0~24.1 bar)	to reduce a high upstream pressure to a precisely decrease output pressure, and the pressure regulator will be provide
Temperature Range	- 30°C to 120°C Other Temperature Ranges available. Consult Factory	stable output pressure for connect to outlet control circuit or control device operating.
Material(Valve Body)	SUS316 Stainless Steel	The high pressure media enters the regulator through by IN port, turning
Adjusting Wheel Material	Polyamide Other Material are available, Consult Factory	the adjusting wheel clockwise will increase the spring exerted tension to
Panel Hole Size	Ø40.5mm(1 ¹⁹ / ₃₂ ")	increase the regulator output pressure, rotating the adjusting wheel
Orifice Size(Standard)	Ø2.8mm(⁷ / ₆₄ ")	counterclockwise will decrease the regulator output pressure, and this
Flow Rate	Cv = 0.2	reduced output pressure will be maintained within a predetermined
Seal Material	Nitrile Rubber(NBR) Other Material are available, Consult Factory	operating pressure range or limit.

^{**} Measurement stated are with tolerance of +/-10%. Optional Parts/Material are available upon request.

MACIS PTE LTD