



## PRESSURE REGULATING VALVE

Valve Code: MV 794HF6K-150-1/4R-P







## Ordering Ref: MV 794HF6K-150-1/4R-P

## Specification

Specification		
Port Connection Size	Input: 1/4" - 18NPT F Output: 1/4" - 18NPT F Return:1/8"-27NPT F	<u>Descriptions</u>
Net Weight	1.55 kg	MV794HF6K-150-1/4R-P is a 2-Position, Normally Open without Self-Relieving Pressure regulator. Apressure regulator is a valve that usedto reduce a high upstream pressure to aprecisely decrease output pressure, andthe pressure regulator will be providestable output pressure for connect tooutlet control circuit or control deviceoperating.The high pressure media enters theregulator through by IN port, turningthe adjusting wheel clockwise willincrease the regulator output pressure,rotating the adjusting wheel
Working Media	Oil	
Working Pressure	Max Inlet Pressure: Services up to 10,000psi (689.4bar) , Optimum 6,000PSI (413.7 bar) Output Pressure Range: 0~150 PSI (0~10.3 bar)	
Temperature Range	- 30°C to 120°C Other Temperature Ranges available. Consult Factory	
Material(Valve Body)	316L	
Adjusting Wheel Material	Polyamide Other Material are available, Consult Factory	
Panel Hole Size	Ø40.5mm(1 <sup>19</sup> / <sub>32</sub> " )	
Orifice Size(Standard)	Ø2.8mm( <sup>7</sup> / <sub>64</sub> ")	<i>counterclockwise will decrease the regulator output pressure, and this</i>
Flow Rate	Cv = 0.2	reduced output pressure will be maintained within a predetermined operating pressure range or limit.
Seal Material	Nitrile Rubber(NBR) Other Material are available, Consult Factory	

\*\* Measurement stated are with tolerance of +/-10%. Optional Parts/Material are available upon request.